

Compatibility List of Pylontech ESS and Inverters

Ver.2.26 Last Update: 10/15/2023

Inverter Brand	Inverter Type	Battery	Communication	Application	Key Features		Firmware Ver	Installation
					Activation	Force Charge		
Ingreen Power Technology	ISS 1Play STL / 6TL	Powercube X132XH2-V2 Powercube X132XH2-V2 Force H2-H2 Force H2-H2 Force H3	CAN	On-grid grid	Yes	Yes	ABH1002AA ABH1003_C0000	Wall mounting
	ISS 1Play STL M / 6TL M		CAN	On-grid grid	Yes	Yes	ABH1007_A ABH1009_C0000	Wall mounting
Sols	RS-1P-HV55-5G series(1)		CAN	On-grid grid	Yes	Yes	V0B11 4000020	Wall mounting
	RS-3P-HV55-5G series(2)		CAN	On-grid grid	Yes	Yes	04.04.03.R	Wall mounting
SMA Solar Technology AG	S8S 3-7-10 / S8S6.0-10P**		CAN	On-grid grid	Yes	Yes	02.08.xxxxx	Wall mounting
KOSTAL Industrie Elektronik GmbH	PLENTICORE plus** PLENTICORE plus C2** PLENTICORE B w20** PLENTICORE B w20 C2**		RS485	On-grid grid	Yes	Yes	02.08.xxxxx	Wall mounting
	Sungrow		CAN	On-grid grid	Yes	Yes	SAPPHIRE V11_V01_A	Wall mounting
	Delta s.r.l		CAN	On-grid grid	Yes	Yes	V3.00	Wall mounting
	Goodwe		CAN	On-grid grid	Yes	Yes	V14	Wall mounting
	Eaton		CAN	On-grid grid	Yes	Yes	V3.00	Wall mounting
SolarMax	ES-T Series		CAN	On-grid grid	Yes	Yes	V3.00	Wall mounting
Deye(Sunny)K	SUN-5-20K-SG03-HP3-EU*	Powercube H2-H2 Powercube H2-H2 Force H2-H2 Force H2-H2 Force H3	CAN	On-grid grid	Yes	Yes	2001.X018	Wall mounting
	SUN-20-30K-SG03-HP3-EU*		CAN	On-grid grid	Yes	Yes	02.08.xxxxx	Wall mounting
Lux Power	Hybrid HB series		CAN	On-grid grid	Yes	Yes	V2.6(1) V2.9(2)	Cabinet
	RS-HV55CT10000(V1)		Modbus RTU	On-grid grid	Yes	Yes	V2.9(2)	Cabinet
Redback	RS-HV55-AC150-7200(V2)		Modbus RTU	On-grid grid	Yes	Yes	V2.9(2)	Cabinet
Solar	HYD 10000/5000/3000 TL 3PH		CAN	On-grid grid	Yes	Yes	FW: 05110306 MSP_V010007	Wall mounting
Sunways	STH-4-12KTL-HT series		CAN	On-grid grid	Yes	Yes	ARM_V0054	Wall mounting
	STH-3-8KTL-HS series		CAN	On-grid grid	Yes	Yes	ARM_V0054	Wall mounting
eCACTUS	WH-SPA-3.6HE(1)		Modbus RTU	On-grid grid	Yes	Yes	Z1426-0048(1) Z1426-0059(1) S11-00007-03020	Wall mounting
	WH-SPA-3.6HE(2)		Modbus RTU	On-grid grid	Yes	Yes	Z1426-0048(1) Z1426-0059(1) S11-00007-03020	Wall mounting
Senergy	SE-3K-60KH-HV		CAN	On-grid grid	Yes	Yes	V030000	Wall mounting
	SE-5K-30KH-B-D3		CAN	On-grid grid	Yes	Yes	V030000	Wall mounting
Salcro S.A	EQK2 300L-800L-HVX series	Powercube X132XH2-V2 Powercube X132XH2-V2 Force H2-H2 Force H2-H2 Force H3	CAN	On-grid grid	Yes	Yes	V1_28_45_04_00	Wall mounting
	EQK2 400L-1200L-HT series		CAN	On-grid grid	Yes	Yes	V1_28_45_04_00	Wall mounting
HYPONTECH	HMS series(1)		CAN	On-grid grid	Yes	Yes	Vin 23(2) Ver 23(2)	Wall mounting
	HMS series(2)		CAN	On-grid grid	Yes	Yes	Vin 23(2) Ver 23(2)	Wall mounting
ASWEI	ASW0608H04H12H13H4-T1(2)		CAN	On-grid grid	Yes	Yes	DSIP 1.04.00(1) ARM-V010-0000-02011 V010-00001-00020	Wall mounting
	ASW0608H04H12H13H4-T2(2)		CAN	On-grid grid	Yes	Yes	DSIP 1.04.00(1) ARM-V010-0000-02011 V010-00001-00020	Wall mounting
SOLITEG	MHT-4-20K Series		CAN	On-grid grid	Yes	Yes	ARM_V01(08)	Wall mounting
	MHT-25-20K Series		CAN	On-grid grid	Yes	Yes	ARM_V01(08)	Wall mounting
ETEK	ETH-3-8KTL-HS Series		CAN	On-grid grid	Yes	Yes	ARM_V01(08)	Wall mounting
	ETH-4-20KTL-HT Series		CAN	On-grid grid	Yes	Yes	ARM_V01(08)	Wall mounting
MEGAREVO	RS-150KH Series	Powercube H2-H2 Powercube H2-H2 Force H2-H2 Force H2-H2 Force H3	CAN	On-grid grid	Yes	Yes	ARM_V1.02.13 ARM_V1.02.14 ARM_V1.02.41 DSIP V1.02.00	Wall mounting
	RS-12KH30W Series		CAN	On-grid grid	Yes	Yes	ARM_V1.02.13 ARM_V1.02.14 ARM_V1.02.41 DSIP V1.02.00	Wall mounting
Reynolds	HYT-HV Series		CAN	On-grid grid	Yes	Yes	Power_V001-04-07 Safety_V001-04-06 System_V001-02-18	Wall mounting
	HAT-HV Series		CAN	On-grid grid	Yes	Yes	Power_V001-04-07 Safety_V001-04-06 System_V001-02-18	Wall mounting
KOYOKE	KY-EST0KH-KY-EST20KH		CAN	On-grid grid	Yes	Yes	320701	Wall mounting
YARD FORCE	PG3700H04005000-5H		CAN	On-grid grid	Yes	Yes	V0011	Wall mounting
Dream Maker	PCS-3-4-20KW-2540A-1		CAN	On-grid grid	Yes	Yes	ARM_V01(08)	Wall mounting
	PCS-3-4-20KW-2540A-1		CAN	On-grid grid	Yes	Yes	ARM_V01(08)	Wall mounting
SAJ	H2-3K-4K-52		CAN	On-grid grid	Yes	Yes	V1.018	Wall mounting
SINENG	SND-6HEU series		CAN	On-grid grid	Yes	Yes	000003000(ARM)	Wall mounting
CE-T	PTZ1070001***	Powercube H2-H2 Powercube H2-H2 Force H2-H2 Force H2-H2 Force H3	CAN	On-grid grid	Yes	No	V16.12.0	Cabinet
LEDIT	PfVx series		CAN	On-grid grid	Yes	Yes	V13.00	Wall mounting
Sermatec	SMT-10K/20K/50K-TL-TH		CAN	On-grid grid	Yes	Yes	V13.00	Wall mounting
Inver Energy	IS-7A-60KH		CAN	On-grid grid	Yes	Yes	V13.00	Wall mounting
Growatt	SPH00007L3		CAN	On-grid grid	Yes	Yes	V10.0	Wall mounting
Tsun	TSOL-HA-3.0-4.0K-H		CAN	On-grid grid	Yes	Yes	DSIP V1.0 ARM V1.14	Wall mounting
GMDE	78520T0		CAN	On-grid grid	Yes	Yes	1.0.3	Wall mounting
Voltres	Infinitrack TL-6A-30K		Modbus RTU	On-grid grid	Yes	Yes	2008.27.12	Cabinet
Blue Mountain Energy	BME-30		Modbus RTU	On-grid grid	Yes	Yes	71-01-27	Cabinet
	BME-30		Modbus RTU	On-grid grid	Yes	Yes	71-01-27	Cabinet
SOLITEG	MHT-25-20K Series	Powercube H2-H2 Powercube H2-H2 Force H2-H2 Force H2-H2 Force H3	CAN	On-grid grid	Yes	Yes	ARM_V01(08)	Wall mounting
ATESS	HP33050/100120/150		CAN	On-grid grid	Yes	Yes	HP330K_V010_HV3_V09.1.3	Cabinet
MEGAREVO	MP30030-1500 Series		CAN	On-grid grid	Yes	Yes	V010H000014	Cabinet
	MEGAREVO-1500S Series		CAN	On-grid grid	Yes	Yes	V010H000014	Cabinet
Growatt	GW-MP3000-0500 Series		CAN	On-grid grid	Yes	Yes	V010H000014	Cabinet
Elatic	Battery Inverter		Customized with additional EMS	On-grid grid	Yes	Yes	V010H000014	Cabinet
Fairamp	EnergyCube		Customized with additional EMS	On-grid grid	Yes	Yes	V010H000014	Cabinet
Sungrow	SC series		Customized with additional EMS	On-grid grid	Yes	Yes	V010H000014	Cabinet
Shenck	PfVxPVC series		Customized with additional EMS	On-grid grid	Yes	Yes	V010H000014	Cabinet
Kelhai	BCS series		Customized with additional EMS	On-grid grid	Yes	Yes	V010H000014	Cabinet

*When compatible with Deye hybrid inverter mentioned in the list above, make sure the Battery Controller firmware is as below or higher:

(1) Force H2-H2 V2, (2) Force H2-H2 V2 V1.1, (3) Powercube XH V5.7, Powercube XH V2 V1.2

**Only Force H2 V2 and Force H2-V2 are compatible with SMA Sunny Boy Storage inverters mentioned in the list above.

***Only Force H2 V2 and Force H2-V2 are compatible with Kostal PLENTICORE series inverter mentioned in the list above.

****Only Powercube XH and Powercube XH V2 series are compatible with CE-T inverter mentioned in the list above.

Note: Compatible tests with different brands of inverter are continuously updates of this list will be periodically.

For any query, please contact: service@pylontech.com

Compatibility List of Pylontech ESS and Inverters

Ver.2.26 Last Update: 10/15/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
Victron Energy	Multiplus 48V (via Venus OS)	CAN	On/off-grid*	Yes	Yes	422/V2.15	Wall mounting
	Quattro 48V (via Venus OS)	CAN	On/off-grid*	Yes	Yes	422/V2.15	Wall mounting
SMA Solar Technology AG	SI 4.4-M	CAN	On/off-grid****	No	Yes		Wall mounting
	SI 6.0-H						
	SI 8.0-H						
	SI 6048US						
Schneider-Electric	Conext XW Pro series	CAN	On/off-grid	Yes	Yes	Gateway: V1.06 XW+ Pro: V1.04 (UL) / V1.05 (IEC)	Wall mounting
Goodwe	GW-BP	CAN	On-grid	Yes	Yes		Wall mounting
	SBP GW-ES	CAN	On-grid	Yes	Yes		Wall mounting
	EM	CAN	On-grid	Yes	Yes		Wall mounting
Iameon Energy	IMEON 3.6	CAN	On/off-grid	Yes	Yes	V1.7.6.5	Wall mounting
	IMEON 9.12	CAN	On/off-grid	Yes	Yes	V1.7.6.5	Wall mounting
Studer Innotec	Xtender 48V serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
	VarioString serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
	VarioTrack 48V serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
Selectronic	SPMC 480	CAN	On/off-grid	No	Yes		Wall mounting
	SPMC 481	CAN	On/off-grid	No	Yes		Wall mounting
	SPMC 482	CAN	On/off-grid	No	Yes		Wall mounting
Voltronic	Infinisolar series 48V	RS485(9600)	On/off-grid	Yes	Yes	V1.00	Wall mounting
	Expert series 48V**	RS485(9600)	On/off-grid	Yes	Yes	V2.61	Wall mounting
Sofar	ME3000SP	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
	HYD series	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting

Compatibility List of Pylontech ESS and Inverters

Ver.2.26 Last Update: 10/15/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
Sermatec	SMT-5K-TL-LV	RS485(9600)/CAN	On/off-grid	Yes	Yes		Wall mounting
Zucchetti Centro Sistemi	Azzurro 3000SP	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
	Azzurro HYD3000/6000-ES	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
Solis	RHI series	CAN	On/off-grid	PV only	Yes	90009	Wall mounting
	RAI series	CAN	On/off-grid	PV only	Yes	90009	Wall mounting
Redback	SH5000	RS485(115200)	On-grid	PV only	No		Cabinet
Deye(Sunsynk)	SUN-SG01LP1 series	CAN	On/off-grid	Yes	Yes	V1586	Wall mounting
	SUN-SG03LP1 series	CAN	On/off-grid	Yes	Yes	V1586	Wall mounting
Alpha & Outback Energy	SPCIII-5000-48	RS485(9600)	Off-grid	Yes	Yes	91.24	Wall mounting
	SPCIII-7200-48					45.06	
	SPCIII-S-5000-48					71.1	
	LXP 3-6K Hybrid					AA1.0	
Lux Power	ACS series	CAN	On/off-grid	Yes	Yes	AA1.0	Wall mounting
	SNA series					AA1.0	
	LXP-LB-EU Series					EA1.0 (for 8K/10K model)	
	LXP-LB-US Series					1A1.0 (for 12K model)	
Sungrow	SH5K	CAN	On-grid	Yes	Yes	V13	Wall mounting
Morningstar	TriStar MPPT in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	TriStar MPPT 600V in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	TriStar PWM TS-45 in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	GS-MPPT-60M/80M/100M-200V*****	CAN	On/off-grid	PV only	No	v2.0	Wall mounting
Delios s.r.l.	DLS/C series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
	DLS AC series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Ingeteam Power Technology	ISS 1Play TL M series	CAN	On/off-grid	Yes	Yes	ABH1007_D	Wall mounting
MLT	Oasis 448	N/A	Off-grid	No	Yes	V2.19	Wall mounting
	Oasis 648	N/A	Off-grid	No	Yes	V2.19	Wall mounting
Steca	Solarix PLI 5000-48	N/A	Off-grid	Manual	No		Wall mounting
SAJ	Sunfree series	RS485(9600)	On/off-grid	Yes	Yes	V2.031/V1.037	Wall mounting
	H1 series	CAN	On/off-grid	Yes	Yes	V2.094/V1.318	Wall mounting

Compatibility List of Pylontech ESS and Inverters

Ver.2.26 Last Update: 10/15/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation	
				Activation	Force Charge			
SolarMax	ES series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting	
	AC series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting	
Growatt	SPH3000 - 6000	CAN	On/off-grid	No	Yes	RA1.0	Wall mounting	
	SPF2000 - 5000 HVM-48/LVM-48P***	RS485(9600)	On/off-grid	No	Yes	GW500.08/502.05/503.03/507.03	Wall mounting	
	M2000H/3000H/5000H - 48***	RS485(9600)	On/off-grid	No	Yes	SK001.11/012.06/013.03/035.00	Wall mounting	
Sol-Ark	Sol-Ark-5K/8K-48-ST, Sol-Ark-5K-120V, Sol-Ark-8K-120/230V, Sol-Ark-8K-230-1P, Sol-Ark-12K-P, Sol-Ark-12K-3P-380V,Limitless 15K-LV	CAN	On/off-grid	Yes	Yes	V1430	Wall mounting	
AXIOMA energy	ISPWM 5000	N/A	On/off-grid	No	No		Wall mounting	
	ISMPTT BF 3000 - 5000	N/A	On/off-grid	No	No		Wall mounting	
	ISGRID (BF) 3000 - 5000	N/A	On/off-grid	No	No		Wall mounting	
Phocos	Any-grid PSW-H-5kW-230/48V	RS485(9600)	On/off-grid	Yes	Yes	V1.00	Wall mounting	
Western CO.	LEONARDO PRO 3000/48 Li (via Western LK3)	CAN	On/off-grid	Yes	Yes	V1.1	Wall mounting	
EFFEKTA	AX-M1 4000/5000-48 (via Com Box)	RS485(9600)	On/off-grid	Yes	Yes	54.40/74.40	Wall mounting	
	AX-K1 4000/5000-48 (via Com Box)	RS485(9600)	On/off-grid	Yes	Yes	14.40/34.40	Wall mounting	
	AX-M2 4000/5000-48	RS485(9600)	On/off-grid	Yes	Yes	51.00/72.01	Wall mounting	
Kehua	SPH5000-BL	CAN	On-grid	Yes	Yes	V1.00.013	Wall mounting	
INVT	BD series	CAN	On/off-grid	Yes	Yes	V1.06	Wall mounting	
TBB	Kinergier Pro: CK-II 2.0S-3.0S (1) CK-II 2.0M-3.0M(2), CK4.0S-8.0S(3)	CAN	On/off-grid	No	Yes	LCD:V1.13 DSP:V1.24(1) LCD:V1.14 DSP:V1.11(2) LCD:V1.28 DSP:V1.30(3)	Wall mounting	
	Kinergier Pro-II: CK-II 3.0M-8.0S			Yes		LCD:V2.00 DSP:V2.00		
	RiIO: 2KVA - 6KVA(1) RiIO II: 3KVA - 8KVA(2) RiIO Sun: 2KVA - 6KVA(3) RiIO Sun II: 3KVA - 8KVA(4)			Yes		LCD:V1.11 DSP:V2.06 (1) LCD:V1.04 DSP:V1.03(2) LCD:V1.11 DSP:V2.06 MPPT:V1.10(3) LCD:V1.04 DSP:V1.03(4)		
	Apollo Matrix: 3.0M-5.0S			Yes		LCD:V1.15 DSP:V1.24 MPPT:V1.10		
	Apollo Maxx: 2.0M-5.0S			Yes		LCD:V1.11 DSP:V1.11 MPPT:V1.10		
	Tyrann Series: 10.0S-15.0S			Yes		LCD:V1.0 DSP:V1.0		
	UP3000-HM5041(RTU)			Yes		Yes		SV1.73
	UP3000-HM8041(RTU)							SV1.82
UP3000-HM5042(RTU)	SV1.83							
UP5000-HM8042(RTU)	SV1.84							
MUST	PV1800 VHM 3KW - 5.5KW	CAN	On/off-grid	No	Yes	1.17.06	Wall mounting	
Moixa	Smart Battery V4 3000	CAN	On-grid	Yes	Yes	V2.2.1	Wall mounting	
	GridShare Hub	CAN	On-grid	Yes	Yes	V2.2.1	Wall mounting	

Compatibility List of Pylontech ESS and Inverters

Ver.2.26 Last Update: 10/15/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
MEGAREVO	RKL1 Series	CAN	On/off-grid	Yes	Yes	ARM: 1.00.28 DSP: 1.01.23	Wall mounting
	R5K/6K/7K/8K/LNA	CAN	On/off-grid	Yes	Yes	ARM:1.03.12 DSP:1.04.11	Wall mounting
AISWEI	ASW3000/3680/4000/5000H-S	CAN	On/off-grid	Yes	Yes	master v610-02001-00	Wall mounting
	ASW3000/3680/4000/5000/6000H-S2					DSP:V610-02003-01 Safety:V610-10008-03	Wall mounting
SOROTEC	REVO II - 48V Series	CAN	On/off-grid	Yes	Yes	Inverter:1.5.4 Control board: 64	Wall mounting
	REVO E PLUS - 48V Series						
	REVO VM II - 48V Series						
	REVO VM PLUS - 48V Series						
FSP Power Solution GmbH	PowerManager series 4-15kW Offgrid PMI III / Zero	RS485(9600)	On/off-grid	Yes	Yes	V1.00 V2.61	Wall mounting
Senergy	SE 4K6/5K/6K/HB-60/120	RS485(9600)*****	On/off-grid	PV only	Yes	0.6.0	Wall mounting
	SE 4K6/5K/6KAC			No	Yes		
Livoltek	Hyper series	CAN	On/off-grid	Yes	Yes	1.78	Wall mounting
	Retro series		Off-grid	Yes	Yes	ARM V0.59 DSP V0.13	Wall mounting
	GF1-3K/5K/48S1						
	BV1-3K/5K/48S1						
Hoymiles	HYS-LV Series	CAN	On/off-grid	Yes	Yes	Power - V01.04.19 and above Safety - V01.02.13 and above System - V00.02.18 and above	Wall mounting
	HAS-LV Series						
CE+T	P721730001*****	CAN	On/off-grid	Yes	No	V16.4.0	Cabinet
EAST	EAHI-3000 ~ 6000-SL	RS485	On/off-grid	Yes	Yes	master V1001, dsp V1004	Wall mounting
LEDIT	FVDi series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Growwocol	MKS IV 5.6KW -B MKS IV 6KW TWIN MAX II-8000	RS485(9600)	On/off-grid	Yes	Yes		Wall mounting
OPTI-Solar	SP5000 Brilliant series	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
	SP5000 Regal/Handy Plus	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
	SP4000/10000 Premium	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
GMDE	SolDate 3700TL+BM024	RS485(9600)	On-grid	No	Yes	V2.0.1	Wall mounting

*When compatible with Victron Multi/Quattro in off-grid application via Venus-device, it is required to have a Victron MPPT or other compatible PV inverter with Victron to avoid the system getting shut down.

**When compatible with Voltronix Expert series, only VM III and King two types are available for RS485 communication, for the rest types of Expert only available for manual settings. When using VM III and King, only launch firmware 02.61 or higher can work with Force L1/L2.

***When compatible with Growatt SPF/M series corresponding type, according to inverter logic, the depth of discharge(DoD) of battery shall be set to 80% or lower. Otherwise may lead to system shut down and need of manually recharge battery.

****When compatible with SMA SI4.4-M / SI6.0-H / SI8.0-H, it's required to follow the min. configuration table from SMA for a guaranteed configuration. The Force L1/L2 is not compatible with SMA SI series.

*****When compatible with Senergy inverter, max. configure 1 string of battery system, donot support multiple strings' connection.

*****When compatible with GS-MPPT-60M/80M/100M-200V, it requires optional ReadyBMS accessory.

*****When compatible with P721730001, please make sure the discharge cut off voltage is higher than 47V.

Note: Compatible tests with different brands of inverter are continuously, updates of this list will be periodically.

For any query, please contact: service@pylontech.com.cn



Flexible Expansion



Reliable Performance



High Compatibility



Proven Safety